

MATERIAL SAFETY DATA SHEETS**CHEMPROOF POLYMERS, INC.****SECTION 1 - MATERIAL IDENTIFICATION**

PRODUCT NAME: PERMA TEC 3000 Part "A"	PERMA TEC 3000 Vertical Part "A"
PERMA COAT 3000 Part "A"	PERMA COAT 3000 Vertical Part "A"
PERMA COAT 3000 LB Part "A"	PERMA COAT 3000 LB Vertical Part "A"
FILLER Part "A"	PERMA COAT 3000 Primer Part "A"
PERMA TEC 3000 CT Part "A"	PERMA TEC 3000 CT Vertical Part "A"
PERMA COAT 3000 CT Part "A"	PERMA COAT 3000 CT Vertical Part "A"
PERMA TEC 3000 XCT Part "A"	PERMA TEC 3000 XCT Vertical Part "A"
PERMA COAT 3000 XCT Part "A"	PERMA COAT 3000 XCT Vertical Part "A"
PERMA GROUT E Part "A"	PERMA GROUT EFS Part "A"
PERMA FLEX 1100 Part "A"	PERMA FLEX Vertical Part "A"
PERMACOAT 3000 DP Primer Part "A"	

MANUFACTURER:
 NUMBERS: ChemProof Polymers, Inc.
 2750 Charles Page Blvd.
 Tulsa, OK 74127

EMERGENCY TELEPHONE
 ChemProof Polymers, Inc. (918) 584-0364
 Chemtrec (800) 424-9300

DATE PREPARED: December 2008
 C.A.S. CHEMICAL NAME: Mixture
 CHEMICAL FAMILY: EPOXY RESIN
 EMPIRICAL FORMULA: Mixture

SECTION 2 - INGREDIENTS

CAS Number and Chemical Name	%	OSHA/PEL	TL V -TW A
		ppm	mg/m3
MODIFIED EPOXY RESIN	> 75	N/E	N/E
BENZYL ALCOHOL	< 7.5	10 (skin)	10 (skin)
SILICON DIOXIDE, AMORPHOUS	< 05		10

The remaining components are a trade secret.
 N/E = Not Established .

SECTION 3 - HEALTH HAZARDS**EMERGENCY OVERVIEW**

HMIS RATING: HEALTH: 2 FLAMMABILITY: 1 PHYSICAL: 0
 NFPA RATINGS: HEALTH: 2 FLAMMABILITY: 1 REACTIVITY: 0 OTHER: 0
 EYE CONTACT: Moderately Irritating to eyes but short term exposure should not permanently injure eye tissue.
 SKIN CONTACT: Moderately irritating to skin, may cause skin sensitization with prolonged exposure.
 INHALATION: Because of low volatility this product is not likely to be an inhalation hazard.
 INGESTION: This product is considered to have a low order of oral toxicity.

SECTION 4 - FIRST AID

EYE CONTACT: If exposed. flush eyes with plenty of water for 15 minutes while holding eyelids open. Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing and wipe excess from skin. Flush skin with water.

3000 "A" (2)

Follow by washing with soap and water. If irritation occurs get medical attention. Do not reuse contaminated clothing, including shoes.

INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. Get medical attention.

INGESTION: Do not induce vomiting, administer 3-4 glasses of water or milk. Get medical attention immediately.

SECTION 5 -FIRE & EXPLOSION DATA

CHARACTERISTICS:

FLASH POINT: >212 degrees F
FLASH POINT METHOD(S): TTC

EXTINGUISHING MEDIA: In case of fire use: water spray, carbon dioxide. dry chemical and/or alcohol foam.

SPECIAL FIRE HANDLING PROCEDURES: In case of fire do not breath fumes. Wear NIOSHA approved self-contained breathing apparatus. Contain runoff water in dikes.

UNUSUAL FIRE AND EXPLOSION HAZARDS: May generate carbon monoxide gas or toxic nitrogen oxide gases.

SECTION 6 -REACTIVITY HAZARD DATA

CHEMICAL STABILITY. Stable

CONDITIONS TO AVOID: Can react violently with amines. strong oxidizing agents. mineral acids and organic bases.

HAZARDOUS DECOMPOSITION PRODUCTS (from burning, heating or reaction with other materials): Carbon monoxide. carbon dioxide, adylenes, acids and other organic substances may be formed during combustion or temperatures above 500 degrees F.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO A VOID (if may occur):

SECTION 7 -SPILL, LEAK AND WASTE DISPOSAL INFORMATION

CONTAINMENT TECHNIQUES (removal of ignition sources, diking etc.)' Wear respirator and protective clothing as appropriate. Remove all ignition sources. Shut off source of leak. Dike and contain.

CLEAN-UP PROCEDURES: If recovery is not possible. Soak up spill with an inert material such as dry soil. sand or non-reactive absorbent and place in a chemical waste container.

WASTE DISPOSAL: Dispose of in a permitted waste management facility if incineration or landfill is not practical. Comply with all Federal, State and local regulations.

SECTION 8 -PERSONAL PROTECTION/EXPOSURE CONTROLS

EYE PROTECTION: Avoid contact with the eyes. Wear safety glasses with side shield, goggles or full face shield. Do not wear contact lens.

HAND PROTECTION: Avoid prolonged or repeated exposure to the skin. Wear protective (i.e. neoprene/natural rubber) chemically resistant gloves.

RESPIRATORY PROTECTION: Wear a NIOSHA approved respirator in low ventilation areas. Wear a

3000 "A" (3)

self contained breathing system when in a closed area such as a tank.

PROTECTIVE CLOTHING: Wear clothing which protects the skin from exposure.

ENGINEERING CONTROLS: Adequate ventilation, general and local exhaust.

WORK AND HYGIENIC PRACTICES: Provide readily accessible eye wash stations and safety shower. Wash at the end of each work shift and before eating. Wash promptly if skin becomes contaminated.

SECTION 9 -STORAGE AND HANDLING

STORAGE. Keep container tightly closed and in a well ventilated place.

HANDLING: Avoid contact with skin or eyes.

OTHER PRECAUTIONS: No Data.

SECTION 10 -PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM:	Viscous Liquid
COLOR:	Light yellow if not pigmented.
ODOR:	Slight mild odor.
% VOLATILE (by volume):	<.5

SECTION 11 -TRANSPORTATION INFORMATION

COMMON SHIPPING NAME.	Resin Compound,	Class 55
DOT SHIPPING NAME:	Resin Compound	Not Hazardous by D.O.T. Regulations
IMO SHIPPING NAME:	Resin Compound	Not Regulated
IATA SHIPPING NAME:	Chemicals NOS	Not Regulated

SECTION 12 -U.S. FEDERAL REGULATIONS

OSHA HAZARD COMMUNICATION STANDARD (29CFR1910.1200) hazard class(es): Irritant.

EPA SARA TITLE III Section 3123 (40CFR372) toxic chemicals above "de minimis" levels are: None.

SARA TITLE III: Section 313 Toxic Chemical List (TCL): This product does not contain any chemicals for routine annual toxic chemical release reporting under Section 313 (40 CFR 372).

TSCA SECTION 8(b) – Inventory Status: All chemical Components of this product are in compliance with TSCA inventory requirements.

TSCA SECTION 12(b) – Export Notification: This product does not contain any chemical(s) that are subject to Section 12(b) export notification.

SECTION 13 -STATE REGULATIONS

Proposition 65 substance(s) listed by the state of California under the "Safe Drinking Water and Toxic Enforcement Act of 1986": None